

STATE AND FEDERAL THREATENED, ENDANGERED, AND OTHER SPECIES OF CONCERN
 LIKELY TO OCCUR IN WALTON COUNTY FLORIDA
 Compiled by U.S. Fish and Wildlife Service January 2006

Common Name	Scientific Name	Status State	Status FWS	Natural Communities
FISH:				
Gulf sturgeon	<i>Acipenser oxyrinchus desotoi</i>	SSC	T CH	ESTUARINE: various MARINE: various habitats RIVERINE: alluvial and blackwater streams
Okaloosa darter	<i>Etheostoma okaloosae</i>	E	E	RIVERINE: seepage stream
Blackmouth shiner	<i>Notropis melanostomus</i>	E	ce	RIVERINE: blackwater stream
Bluenose shiner	<i>Pteronotropis welaka</i>	SSC		RIVERINE: blackwater, alluvial, and spring-run streams
AMPHIBIANS & REPTILES:				
Flatwoods salamander	<i>Ambystoma cingulatum</i>	SSC	T	PALUSTRINE: wet flatwoods, dome swamp, basin swamp, ruderal TERRESTRIAL: mesic flatwoods (reproduces in ephemeral wetlands within this community)
Loggerhead turtle	<i>Caretta caretta</i>	T	T	TERRESTRIAL: sandy beaches; nesting
Green turtle	<i>Chelonia mydas mydas</i>	E	E	TERRESTRIAL: sandy beaches; nesting
Leatherback turtle	<i>Dermochelys coriacea</i>	E	E	TERRESTRIAL: sandy beaches; nesting
Eastern indigo snake	<i>Drymarchon corais couperi</i>	T	T	ESTUARINE: tidal swamp PALUSTRINE: hydric hammock, wet flatwoods TERRESTRIAL: mesic flatwoods, upland pine forest, sandhills, scrub, scrubby flatwoods, rockland hammock, ruderal
Hawksbill turtle	<i>Eretmochelys imbricata imbricata</i>	E	E	MARINE: open water; no nesting
Coal skink	<i>Eumeces anthracinus</i>		ce	PALUSTRINE: seepage slope, baygall TERRESTRIAL: upland pine forest, upland hardwood forest, mesic flatwoods
Gopher tortoise	<i>Gopherus polyphemus</i>	SSC	ce	TERRESTRIAL: sandhills, scrub, scrubby flatwoods, xeric hammocks, coastal strand, ruderal
Pine barrens treefrog	<i>Hyla andersonii</i>	SSC		PALUSTRINE: seepage slope, baygall RIVERINE: seepage stream
Kemp's Ridley turtle	<i>Lepidochelys kempi</i>	E	E	TERRESTRIAL: sandy beaches; nesting
Alligator snapping turtle	<i>Macrochelys temminckii</i>	SSC	ce	ESTUARINE: tidal marsh LACUSTRINE: river floodplain lake, swamp lake RIVERINE: alluvial stream, blackwater stream
Florida pine snake	<i>Pituophis melanoleucus mugitus</i>	SSC	ce	LACUSTRINE: ruderal, sandhill upland lake TERRESTRIAL: sandhill, scrubby flatwoods, xeric hammock, ruderal
Florida bog frog	<i>Rana okaloosae</i>	SSC	ce	PALUSTRINE: seepage slope, baygall RIVERINE: seepage slope, seepage stream
BIRDS:				
Bachman's sparrow	<i>Aimophila aestivalis</i>		ce	TERRESTRIAL: various, ruderal

E=endangered, T=threatened, P=proposed, C=candidate, s/a=similar appearance, SSC=species of special concern, ce=consideration encouraged, CH=Critical Habitat

This is not an exhaustive list of where species do occur, but a guide to indicate areas that might require surveys if appropriate habitat exists. Please contact Florida Natural Areas Inventory (850-224-8207) for additional species location information.

STATE AND FEDERAL THREATENED, ENDANGERED, AND OTHER SPECIES OF CONCERN
 LIKELY TO OCCUR IN WALTON COUNTY FLORIDA
 Compiled by U.S. Fish and Wildlife Service January 2006

Common Name	Scientific Name	Status State	Status FWS	Natural Communities
Southeastern snowy plover	<i>Charadrius alexandrinus tenuirostris</i>	T	ce	ESTUARINE: exposed unconsolidated substrate MARINE: exposed unconsolidated substrate TERRESTRIAL: dunes, sandy beaches, and inlet areas
Piping plover	<i>Charadrius melodus</i>	T	T CH	ESTUARINE: exposed unconsolidated substrate MARINE: exposed unconsolidated substrate TERRESTRIAL: dunes, sandy beaches, and inlet areas. Mostly wintering and migrants.
Stoddard's yellow-throated warbler	<i>Dendroica dominica stoddardi</i>		ce	TERRESTRIAL: wooded habitats with spanish moss, various
Little blue heron	<i>Egretta caerulea</i>	SSC		ESTUARINE: marshes, shoreline PALUSTRINE: floodplains, swamps RIVERINE: shoreline
Snowy egret	<i>Egretta thula</i>	SSC		ESTUARINE: marshes, tidal swamps, shoreline LACUSTRINE: lake edges PALUSTRINE: swamp, floodplain, ruderal RIVERINE: shoreline
Tricolored heron	<i>Egretta tricolor</i>	SSC		ESTUARINE: marshes, tidal swamps, shoreline LACUSTRINE: lake edges PALUSTRINE: swamp, floodplain, ruderal RIVERINE: shoreline
Arctic peregrine falcon	<i>Falco peregrinus tundrius</i>	E	ce	ESTUARINE: winters along coasts LACUSTRINE: various PALUSTRINE: various TERRESTRIAL: various, ruderal
Southeastern kestrel	<i>Falco sparverius paulus</i>	T	ce	ESTUARINE: various habitats PALUSTRINE: various habitats TERRESTRIAL: open pine forests, clearings, ruderal, various
American oystercatcher	<i>Haematopus palliatus</i>	SSC		ESTUARINE: exposed unconsolidated substrate, exposed mollusk reef MARINE: exposed unconsolidated substrate, exposed mollusk reef TERRESTRIAL: beaches, ruderal areas
Bald eagle	<i>Haliaeetus leucocephalus</i>	T	T	ESTUARINE: marsh edges, tidal swamp, open water LACUSTRINE: swamp lakes, edges PALUSTRINE: swamp, floodplain RIVERINE: shoreline, open water TERRESTRIAL: pine and hardwood forests, clearings
Wood stork	<i>Mycteria americana</i>	E	E	ESTUARINE: marshes LACUSTRINE: floodplain lakes, marshes (feeding), various PALUSTRINE: marshes, swamps, various
Brown pelican	<i>Pelecanus occidentalis</i>	SSC		ESTUARINE: islands for nesting, open water MARINE: open water
Red-cockaded	<i>Picoides borealis</i>	SSC	E	TERRESTRIAL: mature pine forests

E=endangered, T=threatened, P=proposed, C=candidate, s/a=similar appearance, SSC=species of special concern,
 ce=consideration encouraged, CH=Critical Habitat

This is not an exhaustive list of where species do occur, but a guide to indicate areas that might require surveys if appropriate habitat exists. Please contact Florida Natural Areas Inventory (850-224-8207) for additional species location information.

STATE AND FEDERAL THREATENED, ENDANGERED, AND OTHER SPECIES OF CONCERN
 LIKELY TO OCCUR IN WALTON COUNTY FLORIDA
 Compiled by U.S. Fish and Wildlife Service January 2006

Common Name	Scientific Name	Status State	Status FWS	Natural Communities
woodpecker				
Black Skimmer	<i>Rynchops niger</i>	SSC		ESTUARINE: various LACUSTRINE: various RIVERINE: various TERRESTRIAL: ocean beaches, beach dune, ruderal. Nests common on rooftops.
Least tern	<i>Sterna antillarum</i>	T		ESTUARINE: various LACUSTRINE: various RIVERINE: various TERRESTRIAL: beach dune, ruderal. Nests common on rooftops.
MAMMALS:				
Choctawhatchee beach mouse	<i>Peromyscus polionotus allophrys</i>	E	E CH	TERRESTRIAL: beach dune, coastal scrub. Bay Co.: St. Andrew State Rec. Area mainland (CH) and Shell Island (CH), Tyndall Air Force Base Shell Island (CH). Walton Co.: Grayton Beach State Rec. Area (main CH & western units), Topsail Hill State Preserve (CH), Deer Lake State Park, Camp Creek, Four-Mile Village, Town of Grayton Beach and Seagrove Beach, Seaside. Okaloosa Co. historic range.
Southeastern big-eared bat	<i>Plecotus rafinesquii</i>		ce	PALUSTRINE: various, floodplains TERRESTRIAL: pine and hardwood forests, ruderal, various
Eastern chipmunk	<i>Tamias striatus</i>	SSC		TERRESTRIAL: slope forest, upland hardwood forest, upland pine forest
West Indian manatee	<i>Trichechus manatus latirostris</i>	E	E	ESTUARINE: submerged vegetation, open water MARINE: open water, submerged vegetation RIVERINE: alluvial stream, blackwater stream, spring-run stream
Florida black bear	<i>Ursus americanus floridanus</i>	T	ce	PALUSTRINE: titi swamps, floodplains TERRESTRIAL: pine and hardwood forests
INVERTEBRATES:				
Rayed creekshell (mussel)	<i>Anodontoidea radiatus</i>		ce	RIVERINE: Small to medium sized creeks in substrates of mud, sandy mud, or sand and gravel (Panhandle watersheds: Apalachicola, Chipola, Escambia, Choctawhatchee)
Southern sandshell	<i>Lampsilis australis</i>		C (E)	Riverine: found in small to medium-sized creeks and rivers in with slow to moderate currents over sandy substrates sometimes with some silt. Endemic to the Escambia, Yellow, and Choctawhatchee River drainages of Alabama and Florida
Fuzzy pigtoe	<i>Pleurobema strodeanum</i>		C (E)	Riverine: small to medium-sized creeks and rivers with slow to moderate currents in sand and sand with some silt. Endemic to the Escambia, Yellow, and Choctawhatchee River drainages of Alabama and Florida.

E=endangered, T=threatened, P=proposed, C=candidate, s/a=similar appearance, SSC=species of special concern,
 ce=consideration encouraged, CH=Critical Habitat

This is not an exhaustive list of where species do occur, but a guide to indicate areas that might require surveys if appropriate habitat exists. Please contact Florida Natural Areas Inventory (850-224-8207) for additional species location information.

STATE AND FEDERAL THREATENED, ENDANGERED, AND OTHER SPECIES OF CONCERN
 LIKELY TO OCCUR IN WALTON COUNTY FLORIDA
 Compiled by U.S. Fish and Wildlife Service January 2006

Common Name	Scientific Name	Status State	Status FWS	Natural Communities
Southern kidneyshell	<i>Ptychobranhus jonesi</i>		C (E)	Riverine: small to medium-sized creeks and rivers in sand with some silt or substrates, claystone pockets with sand. Endemic to Escambia, Yellow, and Choctawhatchee River drainages in Alabama and Florida.
tapered pigtoe	<i>Quincuncina burkei</i>		C (T)	Riverine: Small to medium-sized creeks to large rivers in stable sand or sand and gravel substrata, occasionally occurring in silty sand in slow to moderate current. Endemic to the Choctawhatchee River drainage of Alabama and Florida.
Choctaw bean	<i>Villosa choctawensis</i>		C (E)	Riverine: Small to large creeks and rivers with moderate current over sand to silty-sand substrates. Endemic to the Escambia, Yellow, and Choctawhatchee River drainages of Alabama and Florida.
Downy rainbow (mussel)	<i>Villosa villosa</i>		ce	RIVERINE: small streams to large rivers in sand or muddy sand substrates (Panhandle watersheds: Apalachicola, Chipola, Escambia, Choctawhatchee, Ochlockonee, Suwannee)
PLANTS:				
Southern milkweed	<i>Asclepias viridula</i>	T	ce	PALUSTRINE: wet prairie, seepage slope edges RIVERINE: seepage stream banks TERRESTRIAL: mesic flatwoods, drainage ditches
Curtiss' sandgrass	<i>Calamovilfa curtissii</i>	T	ce	PALUSTRINE: mesic and wet flatwoods, wet prairie, depression marsh TERRESTRIAL: mesic flatwoods
Sweet shrub	<i>Calycanthus floridus</i>	E		TERRESTRIAL: upland hardwood forest, slope forest, bluffs PALUSTRINE: bottomland forest, stream banks, floodplains
Baltzell's sedge	<i>Carex baltzellii</i>	T	ce	TERRESTRIAL: slope forest, moist sandy loam; moist sandy loam
Cruise's golden-aster	<i>Chrysopsis gossypina cruiseana</i>	E	ce	TERRESTRIAL: coastal dunes, coastal strand, coastal grassland; openings and blowouts
Alternate-leaf or pagoda dogwood	<i>Cornus alternifolia</i>	E		PALUSTRINE: creek swamps TERRESTRIAL: slope forest, upland hardwood forest, bluffs
Washington thorn	<i>Crataegus phaenopyrum</i>	E		PALUSTRINE: basin swamp, basin marsh, edges of wet areas
Spoon-leaved sundew	<i>Drosera intermedia</i>	T		LACUSTRINE: sinkhole lake edges PALUSTRINE: seepage slope, wet flatwoods, depression marsh RIVERINE: seepage stream banks, drainage ditches

E=endangered, T=threatened, P=proposed, C=candidate, s/a=similar appearance, SSC=species of special concern,
 ce=consideration encouraged, CH=Critical Habitat

This is not an exhaustive list of where species do occur, but a guide to indicate areas that might require surveys if appropriate habitat exists. Please contact Florida Natural Areas Inventory (850-224-8207) for additional species location information.

STATE AND FEDERAL THREATENED, ENDANGERED, AND OTHER SPECIES OF CONCERN
 LIKELY TO OCCUR IN WALTON COUNTY FLORIDA
 Compiled by U.S. Fish and Wildlife Service January 2006

Common Name	Scientific Name	Status State	Status FWS	Natural Communities
Wiregrass gentian	<i>Gentiana pennelliana</i>	E	ce	PALUSTRINE: seepage slope, wet prairie, roadside ditches TERRESTRIAL: mesic flatwoods, planted slash pine
Heartleaf	<i>Hexastylis arifolia</i>	T		RIVERINE: seepage stream bank TERRESTRIAL: slope forest
Wild hydrangea	<i>Hydrangea arborescens</i>	E		TERRESTRIAL: bluff
Panhandle spiderlily	<i>Hymenocallis henryae</i>	E	ce	PALUSTRINE: dome swamp edges, wet prairie, wet flatwoods, baygall edges, swamp edges TERRESTRIAL: wet prairies and flatwoods
Florida anise	<i>Illicium floridanum</i>	T		PALUSTRINE: floodplain forest, baygall RIVERINE: seepage stream bank TERRESTRIAL: slope forest, seepage slope
Mountain laurel	<i>Kalmia latifolia</i>	T		RIVERINE: seepage stream bank TERRESTRIAL: slope forest, seepage stream banks
Southern red lily	<i>Lilium catesbaei</i>	T		PALUSTRINE: wet prairie, wet flatwoods, seepage slope TERRESTRIAL: mesic flatwoods, seepage slope; usually with grasses
Panhandle lily	<i>Lilium iridollae</i>	E	ce	PALUSTRINE: baygall, dome swamp edges, mucky soil, seepage slope, edges of titi bogs, RIVERINE: blackwater stream banks
Gulf coast lupine	<i>Lupinus westianus</i>	T	ce	TERRESTRIAL: beach dune, scrub, disturbed areas, roadsides, blowouts in dunes
Hummingbird flower	<i>Macranthera flammea</i>	E		PALUSTRINE: seepage slope, dome swamp edges, floodplain swamps RIVERINE: seepage stream banks TERRESTRIAL: seepage slopes
Cucumber magnolia	<i>Magnolia acuminata</i>	E		TERRESTRIAL: slope forest, upland mixed forest
Ashe's magnolia	<i>Magnolia ashei</i>	E		TERRESTRIAL: slope and upland hardwood forest, ravines
Pyramid magnolia	<i>Magnolia pyramidata</i>	E		TERRESTRIAL: slope forest
Purple cliff brake	<i>Pellaea atropurpurea</i>	E		TERRESTRIAL: upland glade
Yellow butterwort	<i>Pinguicula lutea</i>	T		PALUSTRINE: flatwoods, bogs
Chapman's butterwort	<i>Pinguicula planifolia</i>	T	ce	PALUSTRINE: wet flatwoods, seepage slopes, bog, dome swamp, ditches; in water
Primrose-flower butterwort	<i>Pinguicula primulifolia</i>	E		PALUSTRINE: bogs, pond margins, margins of spring runs
Yellow fringed orchid	<i>Platanthera ciliaris</i>	T		PALUSTRINE: bogs, wet flatwoods TERRESTRIAL: Bluff
Yellow fringeless orchid	<i>Platanthera integra</i>	E	ce	PALUSTRINE: wet prairie, seepage slope TERRESTRIAL: mesic flatwoods
Snowy orchid	<i>Platanthera nivea</i>	T		PALUSTRINE: bogs

E=endangered, T=threatened, P=proposed, C=candidate, s/a=similar appearance, SSC=species of special concern, ce=consideration encouraged, CH=Critical Habitat

This is not an exhaustive list of where species do occur, but a guide to indicate areas that might require surveys if appropriate habitat exists. Please contact Florida Natural Areas Inventory (850-224-8207) for additional species location information.

STATE AND FEDERAL THREATENED, ENDANGERED, AND OTHER SPECIES OF CONCERN
 LIKELY TO OCCUR IN WALTON COUNTY FLORIDA
 Compiled by U.S. Fish and Wildlife Service January 2006

Common Name	Scientific Name	Status State	Status FWS	Natural Communities
Large-leaved jointweed	<i>Polygonella macrophylla</i>	T	ce	TERRESTRIAL: scrub, sand pine/oak scrub ridges
Orange azalea	<i>Rhododendron austrinum</i>	E		PALUSTRINE: bottomland forest RIVERINE: seepage stream bank TERRESTRIAL: slope forest, upland mixed forest
White-top pitcher plant	<i>Sarracenia leucophylla</i>	E	ce	PALUSTRINE: wet prairie, seepage slope, baygall edges, ditches
Parrot pitcher plant	<i>Sarracenia psittacina</i>	T		PALUSTRINE: wet flatwoods, wet prairie, seepage slope
Decumbant pitcher plant	<i>Sarracenia purpurea</i>	T		PALUSTRINE: Bogs
Red-flowered pitcher plant	<i>Sarracenia rubra</i>	T		PALUSTRINE: bog, wet prairie, seepage slope, wet flatwoods RIVERINE: seepage stream banks
Silky camellia	<i>Stewartia malacodendron</i>	E		PALUSTRINE: baygall PALUSTRINE: slope forest, upland mixed forest, TERRESTRIAL: slope forest, upland mixed forest; acid soils
Cooley's meadowrue	<i>Thalictrum cooleyi</i>	E	E	PALUSTRINE: seepage slope, edges of shrub bogs, disturbed areas; one site on Champion International Corp. land
Chapman's crownbeard	<i>Verbesina chapmanii</i>	T	ce	PALUSTRINE: seepage slope TERRESTRIAL: mesic flatwoods with wiregrass (<i>Aristida stricta</i>)
Yellow-root	<i>Xanthorhiza simplicissima</i>	E		RIVERINE: seepage stream; sandy banks
Karst pond xyris	<i>Xyris longisepala</i>	E		LACUSTRINE: sandhill upland lake margins

E=endangered, T=threatened, P=proposed, C=candidate, s/a=similar appearance, SSC=species of special concern,
 ce=consideration encouraged, CH=Critical Habitat

This is not an exhaustive list of where species do occur, but a guide to indicate areas that might require surveys if appropriate habitat exists. Please contact Florida Natural Areas Inventory (850-224-8207) for additional species location information.